

System Requirements

Operating System

32-bit version

Service Pack 2 (SP2) or later of the following:

- Microsoft® Windows® XP Professional
- Microsoft Windows XP Home

Service Pack 1 (SP1) or later of the following:

- Microsoft Windows Vista® Enterprise
- Microsoft Windows Vista Business
- Microsoft Windows Vista Ultimate
- Microsoft Windows Vista Home Premium

The following operating systems:

- Microsoft Windows 7 Enterprise
- Microsoft Windows 7 Ultimate
- Microsoft Windows 7 Professional
- Microsoft Windows 7 Home Premium

64-bit version

Service Pack 2 (SP2) or later of the following:

- Microsoft® Windows® XP Professional

Service Pack 1 (SP1) or later of the following:

- Microsoft Windows Vista® Enterprise
- Microsoft Windows Vista Business
- Microsoft Windows Vista Ultimate

The following operating systems:

- Microsoft Windows 7 Enterprise
- Microsoft Windows 7 Ultimate
- Microsoft Windows 7 Professional
- Microsoft Windows 7 Home Premium

Browser

- Internet Explorer® 7.0 or later

CPU Type

32-bit version

Windows XP

Intel® Pentium® 4 or AMD Athlon™ Dual Core, 1.6 GHz or Higher with SSE2 technology

Windows Vista or Windows 7

Intel Pentium 4 or AMD Athlon Dual Core, 3.0 GHz or Higher with SSE2 technology

64-bit version

AMD Athlon™ 64 with SSE2 technology

AMD Opteron™ with SSE2 technology

Intel® Xeon® with Intel EM64T support with SSE2 technology

Intel Pentium 4 with Intel EM64T support with SSE2 technology

Memory

- 1GB RAM
- 32-bit: 1.3 GB for installation
- 64-bit: 1.5 GB for installation

Display Resolution

- 1024x768 with True Color

Pointing Device

- MS-Mouse compliant

Media

- Download and installation from DVD

Multiple Processors

- Should be supported by the application

Languages

- English, FIGS, PTB, JA, KO, TC, SC, Czech, Polish, Hungarian, Russian

Network

- Deployment via Deployment Wizard
- The license server and all workstations that will run applications dependent on network licensing must run TCP/IP protocol.
- Either Microsoft or Novell TCP/IP protocol stacks are acceptable. Primary login on workstations may be Netware or Windows.
- In addition to operating systems supported for the application, the license server will run on the Windows Server 2003 Family

Display Card

- Supports Windows display adapter capable of 1024x768 with True Color capabilities

Digitizer

- Continue WINTAB support

Plotter/Printer

- Same as AutoCAD LT 2010 – continue system printer and HDI support

Compiler

- VC2008 SP1

Installer

- MSI 4.5

Builds

Locked – FLEXnet

Locking/License Management

- FLEXnet will be used for both the stand-alone and networked versions
- Gold disc versions of AutoCAD and AutoCAD LT will be required and will use ACODE

Side-by Side Install

- Supported

File Format Changes (yes or no)

- no

Compiler

- VC2008 SP1

Save-as Support

- R14
- AutoCAD 2000
- AutoCAD 2004
- AutoCAD 2007
- AutoCAD 2010.
- EMR has the same formats as Commercial AutoCAD, with the exception of AutoCAD 2000/LT2000 Drawing.

DXF Support

- AutoCAD R12
- AutoCAD 2000
- AutoCAD 2004
- AutoCAD 2007
- AutoCAD 2010

Global Product

- yes

Security (DWG)

- Supports digital signatures
- DWG/DWF password protection

Drawing Size Support

- Full DWG Compression

Object Interoperability (Non-AutoCAD Object Model)

- New objects may require new enablers. Refer to the main Product Plan.

Media Browser

- no specific requirements

Logo Certification

- Compatible with Windows 7

.NET Framework

- NET Framework Version 3.5 SP1 Lorem ipsum

